

MOSSBIL

stonévénion



ULTRA
STONE[®]



Size:
800x2400mm

Italian Technology

CONTINUA+

INTRODUCING

ICONIC MASTERPIECES

Surfaces That Anchor Space



Spaces today demand surfaces that perform as powerfully as they appear. Designed to withstand intensive use and the realities of modern living, this collection offers a superior surface solution distinguished by exceptional strength, refined style, and enduring performance. With impressive thickness and large-format dimensions, it delivers outstanding versatility across both specialised and standalone applications.

Expertly conceived and meticulously crafted, it embodies the perfect balance of durability and design. Its full-body stone construction and robust thickness ensure long-term reliability, while timeless aesthetics add depth, harmony, and sophistication to contemporary spaces. Each design reflects a modern classic—engineered for strength and thoughtfully curated for enduring style.

Developed through continuous research, advanced manufacturing technology, and premium raw materials, This Series is built for trust and longevity. Engineered to withstand heavy foot traffic, stains, scratches, and everyday wear, it delivers exceptional performance with minimal maintenance—making it an ideal choice for both residential and commercial environments.

FULL BODY

INTRODUCING

PRODUCT BENEFITS



High Resilience

Engineered for performance, these surfaces resist stains, scratches, impacts, and everyday wear with exceptional durability.




Antibacterial Surface

The non-porous composition enhances antimicrobial properties, ensuring superior hygiene and easy maintenance.



Made in India

Proudly manufactured in India, Mossbil products meet global standards and are trusted across markets worldwide.



EDGE PROFILES

The substantial thickness is ideal for both functional and aesthetic edge profiles, enhancing safety while allowing finer detailing through slab cutting, shaping, and advanced fabrication techniques.



Squared ridge at 45°



Rounded ridge at 45°



Straight squared ridge



Rounded straight ridge



Double Straight squared ridge



Double Straight rounded ridge

ULTRA STONETM



The kitchen countertop is one of the most stressed and functional surfaces in the home environment, and for this reason its choice requires particular attention. Most daily activities take place on it, from food preparation to placing utensils and appliances.

For this reason, resistance, durability and ease of maintenance represent fundamental technical characteristics, without neglecting the design and aesthetic harmony with the rest of the environment.

The choice of the most suitable material is therefore crucial. In this context, porcelain stoneware is confirmed as one of the best solutions available on the market, thanks to its excellent technical performance and the versatility of its finishes, which make it practical and aesthetically refined.



FULL BODY


INTRODUCING

PRODUCT SIZE

THE FINEST SOLUTION

Crafted with a professional touch, the it offers a versatile format that enhances every design. Its substantial thickness and generous dimensions make it perfectly suited for elegant countertops, statement tabletops, durable work surfaces, and a wide range of architectural applications.

Size:
800x2400mm



Ultra Stone Sedge Bruse

Ultra Stone Notella

Ultra Stone Nut

Ultra Stone Cloud

Ultra Stone Sapphire

Ultra Stone Burk

Ultra Stone Caramel

Italian Technology

CONTINUA+

FULL BODY



7
Colour

3
Surfaces

15_{MM}
Thickness



Polished

Dmatt

Raw Texture

| Ultra Stone Caramel

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Italian Technology
CONTINUA+



Ultra Stone Caramel



Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Ultra Stone Light



Italian Technology

CONTINUA+

FULL BODY



Polished

Dmatt

Raw Texture

| **Ultra Stone Burk**

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Italian Technology
CONTINUA+

| Ultra Stone Burk




Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture


Series:
Ultra Stone Light



Italian Technology

CONTINUA+

FULL BODY



Polished

Dmatt

Raw Texture

| **Ultra Stone Sapphire**

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Italian Technology
CONTINUA+

Ultra Stone Sapphire




Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture


Series:
Ultra Stone Light



Italian Technology

CONTINUA+

FULL BODY



Polished

Dmatt

Raw Texture

| Ultra Stone Cloud

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Italian Technology
CONTINUA+

Ultra Stone Cloud




Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Ultra Stone Light



Italian Technology

CONTINUA+

FULL BODY



Polished

Dmatt


Raw Texture

| Ultra Stone Nut

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Italian Technology
CONTINUA+



Ultra Stone Nut




Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Ultra Stone Light



Italian Technology

CONTINUA+

FULL BODY



Polished

Dmatt

Raw Texture

| Ultra Stone Notella

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Italian Technology
CONTINUA+



Ultra Stone Notella






Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Ultra Stone Light



Italian Technology

CONTINUA+

FULL BODY



Polished

Dmatt

Raw Texture

| Ultra Stone Sedge Bruse

Surfaces:
Polished | Dmatt | Raw Texture

FULL BODY

Italian Technology
CONTINUA+



Ultra Stone Sedge Bruse



Size:
800x2400mm



Thickness: **15mm**

Surfaces:
Polished | Dmatt | Raw Texture

Series:
Ultra Stone Light



Italian Technology

CONTINUA+

FULL BODY


TECHNICAL SPECIFICATION

CHARACTERISTICS	STANDARD AS PER ISO-13006/2018 En14411 gr.bla	OUR VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length & Width	± 0.5%	± 0.2%	ISO 10545-2
Deviation in Thickness	± 5%	± 5%	ISO 10545-2
Straightness of Sides	± 0.5%	± 0.2%	ISO 10545-2
Rectangularity	± 0.5%	± 0.2%	ISO 10545-2
Surface Flatness	± 0.5%	± 0.3%	ISO 10545-2
Colour Difference	ΔE<1.00	ΔE<0.30	ISO 10545-16
Glossiness	As per Mfg.	As Per Mfg.	Gloss Meter
Regulatory Properties			
Water Absorption	≤ 0.5 %	≤ 0.3 %	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of Rupture	Min.35N/mm ²	Min.40N/mm ²	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 5000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
Surface Mechanical Properties			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Mohs Hardness	As per Mfg.	Min. class 4	BS EN 15771
Massive Mechanical Properties			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.8mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. 9.0 x 10 ⁻⁶	Max. 6.0x10 ⁻⁶	ISO 10545-8
Chemical Properties			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
Safety Properties			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.

TECHNICAL SPECIFICATION

Dimension (mm)	No. of Pcs/Box	Square Feet	Weight (Approx)
800x3000mm	1 Pcs.	25.83 Sq. ft	83 kg.
800x2400mm	1 Pcs.	20.67 Sq. ft	68 kg.

MOSSBIL

ston é v é n t i o n 

MARBILANO STONE LLP.

Windmill Road, At Nichi Mandal,
Halvad Road, Morbi-363641 (guj.) india

Mo: +91 98871 71571
www.mossbil.com